



RADIK® CLEAN, CLEAN VK

TEPELNÝ VÝKON Q [W] PRO TEPLONOSNOU LÁTKU VODA PODLE EN 442

15 °C		Typ 10 CLEAN Typ 10 CLEAN VK					Typ 20S CLEAN Typ 20S CLEAN VK					Typ 30 CLEAN Typ 30 CLEAN VK				
Länge L [mm]	t ₁ /t ₂ [°C]	Höhe H [mm]														
		300	400	500	600	900	300	400	500	600	900	300	400	500	600	900
400	90/70	186	238	288	337	490	330	418	503	586	819	480	601	719	835	1176
	75/65	150	192	233	274	397	267	338	407	473	663	389	486	581	673	947
	70/55	122	157	191	225	325	219	277	333	387	544	319	398	475	550	773
500	90/70	233	297	360	422	613	413	522	629	732	1024	600	752	899	1044	1470
	75/65	187	240	291	342	496	334	423	509	592	829	486	608	726	842	1184
	70/55	153	196	239	281	406	274	347	417	484	680	399	498	594	688	966
600	90/70	279	357	432	506	736	495	627	755	879	1229	720	902	1079	1253	1764
	75/65	225	288	350	410	595	401	507	610	710	995	583	729	871	1010	1421
	70/55	184	236	287	337	488	329	416	500	581	816	478	597	712	825	1160
700	90/70	326	416	504	590	858	578	731	881	1025	1434	840	1052	1259	1462	2058
	75/65	262	336	408	479	694	468	592	712	828	1161	681	851	1016	1179	1658
	70/55	214	275	334	393	569	384	485	583	678	951	558	697	831	963	1353
800	90/70	372	475	576	675	981	660	836	1007	1172	1639	961	1203	1438	1670	2352
	75/65	300	384	466	547	794	535	677	814	947	1327	778	973	1161	1347	1895
	70/55	245	314	382	449	650	439	554	666	775	1087	638	796	950	1100	1546
900	90/70	419	535	648	759	1103	743	940	1132	1318	1844	1081	1353	1618	1879	2646
	75/65	337	432	524	615	893	602	761	916	1065	1492	875	1094	1307	1515	2132
	70/55	276	353	430	505	732	493	624	750	872	1223	718	896	1069	1238	1740
1000	90/70	465	594	720	843	1226	825	1045	1258	1465	2048	1201	1503	1798	2088	2940
	75/65	375	480	583	684	992	668	846	1017	1184	1658	972	1216	1452	1684	2369
	70/55	306	393	478	562	813	548	693	833	968	1359	797	996	1187	1375	1933
1100	90/70	512	654	792	927	1348	908	1149	1384	1611	2253	1321	1654	1978	2297	3234
	75/65	412	528	641	752	1091	735	930	1119	1302	1824	1069	1337	1597	1852	2606
	70/55	337	432	525	618	894	603	762	916	1065	1495	877	1095	1306	1513	2126
1200	90/70	558	713	864	1012	1471	990	1254	1510	1758	2458	1441	1804	2157	2505	3528
	75/65	450	576	699	821	1190	802	1015	1221	1420	1990	1167	1459	1742	2020	2842
	70/55	367	471	573	674	975	658	832	1000	1162	1631	957	1195	1425	1650	2320
1400	90/70	651	832	1008	1180	1716	1155	1463	1761	2051	2868	1681	2105	2517	2923	4116
	75/65	525	672	816	957	1389	936	1184	1424	1657	2321	1361	1702	2032	2357	3316
	70/55	429	550	669	786	1138	768	970	1166	1356	1903	1116	1394	1662	1925	2706
1600	90/70	744	951	1152	1349	1961	1320	1672	2013	2344	3277	1921	2406	2877	3341	4704
	75/65	600	768	932	1094	1587	1070	1353	1628	1894	2653	1556	1945	2323	2694	3790
	70/55	490	628	764	898	1301	877	1109	1333	1549	2175	1276	1593	1900	2200	3093
1800	90/70	837	1070	1296	1518	2207	1485	1881	2265	2637	3687	2161	2706	3236	3758	5292
	75/65	675	864	1049	1231	1786	1203	1522	1831	2130	2985	1750	2188	2613	3030	4264
	70/55	551	707	860	1011	1463	987	1247	1499	1743	2447	1435	1792	2137	2475	3479
2000	90/70	930	1189	1440	1686	2452	1650	2090	2516	2930	4097	2401	3007	3596	4176	5881
	75/65	750	960	1165	1368	1984	1337	1691	2035	2367	3316	1945	2432	2904	3367	4737
	70/55	612	785	955	1123	1626	1097	1386	1666	1937	2718	1594	1991	2374	2750	3866
2300	90/70	1070	1367	1656	1939	2820	1898	2403	2894	3369	4711	2762	3458	4135	4802	6763
	75/65	862	1104	1340	1573	2282	1537	1945	2340	2722	3814	2236	2796	3339	3872	5448
	70/55	704	903	1098	1291	1869	1261	1594	1916	2227	3126	1834	2290	2731	3163	4446
2600	90/70	1209	1545	1872	2192	3187	2146	2717	3271	3809	5326	3122	3909	4674	5429	7645
	75/65	975	1248	1515	1778	2579	1738	2199	2645	3077	4311	2528	3161	3775	4377	6159
	70/55	796	1021	1242	1460	2113	1426	1802	2166	2518	3534	2073	2589	3087	3575	5026
3000	90/70	1395	1783	2160	2529	3678	2476	3135	3774	4395	6145	3602	4510	5394	6264	8821
	75/65	1125	1440	1748	2051	2976	2005	2537	3052	3551	4974	2917	3647	4355	5051	7106
	70/55	918	1178	1433	1685	2438	1645	2079	2499	2905	4078	2392	2987	3562	4125	5799
	55/45	613	789	963	1137	1639	1107	1398	1677	1946	2742	1609	2005	2384	2754	3865



RADIK® CLEAN, CLEAN VK

TEPELNÝ VÝKON Q [W] PRO TEPLONOSNOU LÁTKU VODA PODLE EN 442

20 °C		Typ 10 CLEAN Typ 10 CLEAN VK					Typ 20S CLEAN Typ 20S CLEAN VK					Typ 30 CLEAN Typ 30 CLEAN VK				
Länge L [mm]	t ₁ /t ₂ [°C]	Höhe H [mm]														
		300	400	500	600	900	300	400	500	600	900	300	400	500	600	900
400	90/70	167	214	259	304	441	297	376	452	526	737	432	540	646	749	1055
	75/65	132	169	206	242	350	236	298	359	417	585	343	429	512	593	834
	70/55	105	135	165	194	280	189	239	287	334	469	275	343	409	473	665
500	90/70	209	267	324	379	551	371	470	565	658	921	540	676	807	937	1319
	75/65	165	212	257	302	438	295	373	449	522	732	429	536	640	741	1042
	70/55	132	169	206	242	350	237	299	359	417	586	344	429	511	591	831
600	90/70	250	320	388	455	661	445	564	678	790	1105	648	811	969	1124	1582
	75/65	198	254	308	362	525	354	448	538	626	878	515	643	767	889	1250
	70/55	158	203	247	291	420	284	359	431	500	703	413	515	613	710	997
700	90/70	292	374	453	531	771	520	658	791	921	1289	756	946	1130	1312	1846
	75/65	231	296	360	423	613	413	522	628	730	1024	601	750	895	1037	1459
	70/55	184	237	288	339	491	331	418	503	584	821	481	601	715	828	1163
800	90/70	334	427	518	607	882	594	751	904	1053	1473	864	1081	1292	1499	2110
	75/65	264	338	411	483	700	472	597	718	834	1170	686	858	1023	1186	1667
	70/55	211	271	329	388	561	378	478	574	667	938	550	686	818	946	1329
900	90/70	376	480	582	683	992	668	845	1018	1184	1658	972	1216	1453	1686	2374
	75/65	297	381	463	544	788	531	671	807	939	1317	772	965	1151	1334	1876
	70/55	237	304	371	436	631	426	538	646	751	1055	619	772	920	1064	1495
1000	90/70	417	534	647	759	1102	742	939	1131	1316	1842	1080	1351	1614	1874	2637
	75/65	330	423	514	604	875	590	746	897	1043	1463	858	1072	1279	1482	2084
	70/55	263	338	412	485	701	473	598	718	834	1172	688	858	1022	1183	1661
1100	90/70	459	587	712	835	1212	816	1033	1244	1447	2026	1188	1486	1776	2061	2901
	75/65	363	465	565	664	963	649	821	987	1147	1609	944	1179	1407	1630	2292
	70/55	290	372	453	533	771	520	657	790	917	1289	756	944	1124	1301	1828
1200	90/70	501	641	777	911	1322	891	1127	1357	1579	2210	1296	1621	1937	2248	3165
	75/65	396	508	617	725	1050	708	895	1076	1252	1756	1030	1286	1535	1778	2501
	70/55	316	406	494	582	841	568	717	861	1001	1407	825	1030	1227	1419	1994
1400	90/70	584	747	906	1062	1543	1039	1315	1583	1842	2578	1512	1892	2260	2623	3692
	75/65	462	592	720	846	1225	826	1044	1256	1460	2048	1201	1501	1791	2075	2918
	70/55	369	473	576	679	981	662	837	1005	1168	1641	963	1201	1431	1656	2326
1600	90/70	668	854	1035	1214	1763	1188	1503	1809	2105	2947	1728	2162	2583	2998	4220
	75/65	528	677	822	966	1400	944	1194	1435	1669	2341	1373	1715	2046	2371	3334
	70/55	421	541	659	776	1121	757	956	1149	1334	1876	1100	1373	1635	1892	2658
1800	90/70	751	961	1165	1366	1984	1336	1691	2035	2369	3315	1943	2432	2906	3372	4747
	75/65	594	761	925	1087	1575	1062	1343	1615	1877	2633	1544	1930	2302	2668	3751
	70/55	474	609	741	873	1261	852	1076	1292	1501	2110	1238	1544	1840	2129	2991
2000	90/70	835	1068	1294	1518	2204	1484	1879	2261	2632	3683	2159	2702	3229	3747	5274
	75/65	660	846	1028	1208	1750	1180	1492	1794	2086	2926	1716	2144	2558	2964	4168
	70/55	526	676	824	970	1402	946	1195	1436	1668	2344	1375	1716	2044	2365	3323
2300	90/70	960	1228	1488	1745	2535	1707	2160	2600	3026	4236	2483	3107	3713	4309	6066
	75/65	759	973	1182	1389	2013	1357	1716	2063	2399	3365	1973	2466	2942	3409	4793
	70/55	605	778	947	1115	1612	1088	1374	1651	1918	2696	1582	1973	2351	2720	3821
2600	90/70	1085	1388	1683	1973	2865	1930	2442	2939	3421	4788	2807	3513	4198	4871	6857
	75/65	858	1100	1336	1570	2275	1534	1940	2332	2712	3804	2231	2787	3325	3853	5418
	70/55	684	879	1071	1261	1822	1230	1554	1866	2168	3048	1788	2231	2658	3075	4320
3000	90/70	1252	1601	1942	2276	3306	2227	2818	3392	3948	5525	3239	4053	4843	5621	7912
	75/65	990	1269	1542	1812	2625	1770	2238	2691	3129	4389	2574	3216	3837	4446	6252
	70/55	790	1014	1235	1455	2102	1419	1793	2154	2502	3517	2063	2574	3066	3548	4984
55/45	497	642	785	928	1335	903	1139	1365	1583	2235	1312	1632	1938	2236	3135	



RADIK® CLEAN, CLEAN VK

TEPELNÝ VÝKON Q [W] PRO TEPLONOSNOU LÁTKU VODA PODLE EN 442

22 °C		Typ 10 CLEAN Typ 10 CLEAN VK					Typ 20S CLEAN Typ 20S CLEAN VK					Typ 30 CLEAN Typ 30 CLEAN VK				
Länge L [mm]	t ₁ /t ₂ [°C]	Höhe H [mm]														
		300	400	500	600	900	300	400	500	600	900	300	400	500	600	900
400	90/70	159	204	247	290	421	284	359	432	503	704	413	516	617	716	1007
	75/65	125	160	195	229	332	224	283	340	395	555	325	406	485	561	789
	70/55	99	127	154	182	263	177	224	269	313	440	258	322	383	443	622
500	90/70	199	255	309	363	527	355	449	540	629	880	516	646	771	895	1259
	75/65	156	200	244	286	415	280	353	425	494	693	407	508	606	702	986
	70/55	123	158	193	227	329	222	280	336	391	550	322	402	479	554	778
600	90/70	239	306	371	435	632	426	539	648	754	1056	619	775	925	1074	1511
	75/65	187	240	292	344	498	336	424	510	593	832	488	609	727	842	1184
	70/55	148	190	232	273	394	266	336	404	469	659	387	483	575	665	933
700	90/70	279	357	433	508	737	497	628	756	880	1232	722	904	1080	1253	1763
	75/65	219	280	341	401	580	391	495	595	692	971	569	711	848	982	1381
	70/55	173	222	270	318	460	311	392	471	547	769	451	563	670	775	1089
800	90/70	319	408	495	580	843	568	718	864	1006	1408	826	1033	1234	1432	2015
	75/65	250	321	390	458	663	447	566	680	790	1109	651	813	969	1123	1578
	70/55	197	253	309	364	526	355	448	538	625	879	516	643	766	886	1244
900	90/70	359	459	557	653	948	639	808	972	1132	1584	929	1162	1388	1610	2266
	75/65	281	361	438	515	746	503	636	765	889	1248	732	914	1090	1263	1775
	70/55	222	285	347	409	591	399	504	606	703	989	580	724	862	997	1400
1000	90/70	399	510	619	726	1053	710	898	1080	1257	1760	1032	1291	1542	1789	2518
	75/65	312	401	487	573	829	559	707	850	988	1387	813	1016	1211	1403	1973
	70/55	247	317	386	455	657	444	560	673	782	1099	645	804	958	1108	1556
1100	90/70	438	561	680	798	1159	781	988	1188	1383	1936	1135	1420	1697	1968	2770
	75/65	344	441	536	630	912	615	778	935	1087	1525	895	1117	1333	1543	2170
	70/55	271	349	425	500	723	488	616	740	860	1209	709	885	1053	1218	1711
1200	90/70	478	612	742	871	1264	851	1077	1297	1509	2113	1239	1549	1851	2147	3022
	75/65	375	481	585	687	995	671	848	1020	1186	1664	976	1219	1454	1684	2367
	70/55	296	380	463	546	788	532	672	807	938	1319	774	965	1149	1329	1867
1400	90/70	558	714	866	1016	1475	993	1257	1513	1760	2465	1445	1808	2159	2505	3526
	75/65	437	561	682	802	1161	783	990	1190	1383	1941	1139	1422	1696	1964	2762
	70/55	345	444	541	637	920	621	784	942	1094	1539	903	1126	1341	1551	2178
1600	90/70	638	816	990	1161	1685	1135	1437	1729	2012	2817	1651	2066	2468	2863	4029
	75/65	500	641	779	916	1327	895	1131	1360	1581	2218	1301	1625	1938	2245	3156
	70/55	394	507	618	728	1051	710	896	1077	1250	1759	1032	1287	1532	1772	2489
1800	90/70	717	918	1113	1306	1896	1277	1616	1945	2263	3169	1858	2324	2776	3221	4533
	75/65	562	721	877	1031	1493	1007	1273	1530	1778	2496	1464	1828	2180	2526	3551
	70/55	444	570	695	819	1183	799	1009	1211	1407	1978	1161	1448	1724	1994	2800
2000	90/70	797	1020	1237	1451	2107	1419	1796	2161	2514	3521	2064	2582	3085	3579	5037
	75/65	625	801	974	1145	1658	1119	1414	1700	1976	2773	1626	2031	2423	2806	3945
	70/55	493	634	772	910	1314	887	1121	1346	1563	2198	1290	1608	1915	2215	3111
2300	90/70	917	1173	1423	1669	2423	1632	2065	2485	2892	4049	2374	2970	3547	4116	5792
	75/65	719	922	1120	1317	1907	1286	1626	1955	2272	3189	1870	2336	2786	3227	4537
	70/55	567	729	888	1046	1511	1020	1289	1548	1797	2528	1483	1850	2203	2547	3578
2600	90/70	1036	1326	1608	1887	2738	1845	2334	2809	3269	4577	2684	3357	4010	4652	6547
	75/65	812	1042	1267	1489	2156	1454	1838	2210	2569	3605	2114	2641	3150	3648	5129
	70/55	641	824	1004	1183	1708	1154	1457	1750	2032	2858	1677	2091	2490	2880	4044
3000	90/70	1196	1530	1856	2177	3160	2129	2694	3241	3772	5281	3096	3873	4627	5368	7555
	75/65	937	1202	1461	1718	2488	1678	2121	2550	2964	4160	2440	3047	3634	4209	5918
	70/55	740	951	1158	1365	1971	1331	1681	2019	2345	3297	1935	2413	2873	3323	4667
55/45	453	585	716	847	1217	824	1039	1245	1443	2039	1197	1488	1766	2036	2854	